




ALUMINIUM PROFILES SYSTEMS




375 0005




Weight: 580 gr/m

375 0010




Weight: 663 gr/m

375 0020




Weight: 664 gr/m

375 0035




Weight: 816 gr/m

375 0040




Weight: 775 gr/m

375 0045




Weight: 859 gr/m

375 0050




Weight: 953 gr/m

375 0055




Weight: 1076 gr/m

375 0105




Weight: 691 gr/m

375 0110




Weight: 793 gr/m

375 0115




Weight: 957 gr/m

375 0120




Weight: 945 gr/m

375 0125




Weight: 703 gr/m

375 0126




Weight: 716 gr/m

375 0130




Weight: 813 gr/m

375 0135




Weight: 967 gr/m

375 0136




Weight: 978 gr/m

375 0140




Weight: 964 gr/m

375 0141




Weight: 977 gr/m

375 0145




Weight: 722 gr/m

375 0150




Weight: 831 gr/m

375 0155




Weight: 983 gr/m

375 0160




Weight: 800 gr/m

375 0165




Weight: 909 gr/m

375 0170




Weight: 1064 gr/m

375 0205




Weight: 837 gr/m

375 0210




Weight: 878 gr/m

375 0215




Weight: 948 gr/m

375 0225




Weight: 1292 gr/m

375 0226




Weight: 970 gr/m

375 0230




Weight: 1144 gr/m

375 0235




Weight: 1192 gr/m

375 0240




Weight: 1352 gr/m

375 0245




Weight: 1400 gr/m

375 0305




Weight: 734 gr/m

375 0310




Weight: 790 gr/m

375 0315




Weight: 759 gr/m

375 0320




Weight: 542 gr/m

375 0325




Weight: 638 gr/m

375 0330




Weight: 519 gr/m

375 0330-1




Weight: 626 gr/m

375 0335




Weight: 398 gr/m

375 0340



Weight: 427 gr/m

375 0345




Weight: 279 gr/m

375 0345-1




Weight: 301 gr/m

375 0350




Weight: 222 gr/m

375 0355




Weight: 122 gr/m

375 0365




Weight: 391 gr/m

375 0360




Weight: 254 gr/m

375 0405



Weight: 433 gr/m

375 0410




Weight: 781 gr/m

375 0415




Weight: 396 gr/m

375 0420




Weight: 1051 gr/m

375 0425



Weight: 734 gr/m


375 0350-1



Weight: 385 gr/m


534 gr/m

375 0510



Weight: 314 gr/m


375 0520



Weight: 276 gr/m

4 mm glass


375 0530



Weight: 269 gr/m

8 mm glass


375 0550



Weight: 193 gr/m

24 mm glass


1017



Weight: 233 gr/m


20 mm glass

1200



Weight: 270 gr/m

9312



Weight: 235 gr/m

9316




Weight: 152 gr/m

9317




Weight: 110 gr/m

530 0005




Weight: 897 gr/m

530 0010




Weight: 1094 gr/m

530 0015




Weight: 1074 gr/m

530 0020




Weight: 1292 gr/m

530 0135




Weight: 1557 gr/m

530 0205




Weight: 1276 gr/m

530 0210




Weight: 1510 gr/m

530 0220




Weight: 2040 gr/m

530 0305




Weight: 1114 gr/m

530 0105




Weight: 995 gr/m

530 0110




Weight: 1212 gr/m

530 0115




Weight: 1538 gr/m

530 0120




Weight: 1047 gr/m

530 0125




Weight: 1247 gr/m

530 0130




Weight: 1571 gr/m

530 0310




Weight: 1164 gr/m

530 0320




Weight: 1090 gr/m

530 0325



Weight: 1324 gr/m

375 0350




Weight: 222 gr/m

530 5040




Weight: 175 gr/m

375 0510




Weight: 314 gr/m
10 mm glass

375 0520




Weight: 276 gr/m
20 mm glass

375 0530




Weight: 269 gr/m
24 mm glass

375 0550



Weight: 193 gr/m
39 mm glass

1017



Weight: 233 gr/m
35 mm glass

375 0355




Weight: 122 gr/m

9316




Weight: 152 gr/m

0451



Weight: 118 gr/m

0453




Weight: 189 gr/m

0469




Weight: 370 gr/m

0482




Weight: 346 gr/m

0361




Weight: 334 gr/m

0356




Weight: 391 gr/m

0369




Weight: 370 gr/m

0358




Weight: 399 gr/m

0355




Weight: 352 gr/m

0367




Weight: 733 gr/m

0365



Weight: 577 gr/m




Profile	a mm	b mm	s mm	Weight gr/m
0807	70	15	25	360
0809	90	15	25	431
0811	110	15	25	537
0813	130	15	25	610
0815	150	25	25	710
0816	165	25	25	761
0818	180	25	25	816
0819	195	25	25	934
0821	210	25	25	991
0822	225	25	25	1123
0824	240	25	25	1261
0825	250	25	25	1410
0826	260	25	25	1431
0828	280	25	25	1569
0830	300	20	25	1921

L-PROFILE



PIPE-PROFILE



Profile	a mm	b mm	s mm	Kg/m
0202	15	15	1.2	0.094
0203	20	20	1.2	0.126
0204	25	25	1.2	0.158
0205	30	30	1.2	0.191
0206	40	40	1.2	0.255
0217	50	50	2.0	0.531
0210	40	20	1.2	0.191
0237	40	20	2.0	0.315
0211	60	20	1.4	0.298
0223	80	20	1.4	0.374
0231	100	20	1.5	0.482

Profile	D mm	d mm	s mm	Kg/m
0037	19	16.6	1.2	0.181
0025	20	12	4.0	0.545
0039	20	14	3.0	0.434
0004	20	18	1.0	0.163
0026	24	14	5	0.810
0027	24	16.5	3.75	0.647
0028	25	18.5	3.25	0.602
0001	25	22.4	1.3	0.262
0040	30	22	4.0	0.886
0042	30	24	3.0	0.690
0035	35	29	3.0	0.817
0005	35	28.5	3.25	0.879
0038	40	35	2.5	0.798
0010	50	46	2.0	0.817
0018	60	55	2.5	1.223

BOX-PROFILE




Profile	a mm	b mm	s mm	Kg/m
0102	25	17	1.1	0.237
0103	40	20	1.1	0.344
0402	40	20	1.2	0.374
0403	40	20	1.5	0.463
0111	60	20	1.2	0.504
0122	80	20	1.2	0.634
0104	50	40	1.2	0.567
0106	80	40	1.3	0.827
0112	40	40	1.1	0.464
0110	50	50	1.3	0.685
0125	100	20	1.3	0.826
0126	120	20	1.4	1.040

U-PROFILE








































Profile	a mm	b mm	s mm	Kg/m
0259	13	27.7	1.2	0.217
0260	15	30	3	0.560
0261	16	20	2	0.282
0262	17	17	1.2	0.158
0263	18	20	1.1	0.166
0264	19	8	2	0.168
0265	27	25	1.2	0.250

T-PROFILE



Profile	a mm	b mm	s mm	Kg/m
0300	15	15	1.2	0.094
0308	20	20	1.2	0.126
0301	25	25	1.2	0.158
0303	30	30	1.2	0.191
0304	30	30	1.5	0.238
0310	30	30	1.2	0.315
0311	30	90	6.0	1.853

NEW PROFILES WITH PVC HARDWARE




BALUSTRADE

MINI SLIDING SYSTEM


SLIDING SYSTEM

PANEL

Mullion & Transoms











Profile	Weight	a mm	b mm	ix cm ⁴	ly cm ⁴
01.0100	1675 gr/m	67	50	29,81	16,93
01.0101	1870 gr/m	87	50	61,43	21,12
01.0102	2065 gr/m	107	50	106,81	25,30
01.0103	2260 gr/m	127	50	167,39	29,48
01.0104	2710 gr/m	147	50	269,35	37,04
01.0105	2927 gr/m	167	50	374,58	41,65
01.0106	3703 gr/m	192	50	589,21	56,28
01.0107	4042 gr/m	217	50	812,75	63,34






Profile	Weight	a mm	b mm	ix cm ⁴	ly cm ⁴
01.0310	0,945 кг/м	26	50	6,94	1,70
01.0311	1,140 кг/м	46,5	50	11,12	9,43
01.0300	1,377 кг/м	66,5	50	16,06	26,02
01.0301	1,572 кг/м	86,5	50	20,25	52,64
01.0302	1,767 кг/м	106,5	50	24,43	90,84
01.0303	2,014 кг/м	126,5	50	29,63	143,49
01.0304	2,220 кг/м	146,5	50	34,03	210,29
01.0305	2,499 кг/м	166,5	50	39,85	297,52
01.0306	2,770 кг/м	191,5	50	45,62	429,55
01.0307	3,041 кг/м	216,5	50	51,38	593,50


Face caps



Pressure Plate



Horizontal Connection





Address:
8000 Burgas
South Industrial Zone, Bulgaria

Office: +359 56 880 440
Fax: +359 56 880 443
office@altest-kmg.com
altest@infotel.bg

www.altest-kmg.com